

# procter

FENCING AND CONCRETE PRODUCTS

EXPERT SUPPLIERS TO THE FENCING INDUSTRY FOR OVER 60 YEARS

## Trade List

[www.fencingmaterials.co.uk](http://www.fencingmaterials.co.uk)



Concrete Posts



Mesh Systems



Steel Posts



Palisade



Fittings



Expert suppliers to the  
fencing industry for over 60 years





Expert suppliers to the fencing industry for over 60 years

# Contents



Procter Fencing and Concrete Products has over 60 years experience of supplying a wide range of high quality products to the fencing trade.

We manufacture concrete fence posts, steel fence posts and entrance gates, giving customers the full financial benefit of buying direct. We also supply a wide range of fencing materials including mesh panel fencing, palisade, chainlink and weldmesh rolls, fence fittings, barbed wire and razor wire.

We work very hard to provide first class customer service and look after the needs of our customers, offering quick turnaround for those who choose to collect, and prompt, reliable service for those who prefer us to deliver direct to their sites - which is a key part of our service.

Other concrete products we manufacture include lintels, padstones and a wide range of standard cast stone architectural features, see [www.caststoneuk.co.uk](http://www.caststoneuk.co.uk)

Please contact us for a fixed price quote with no hidden extras for your requirements

- In the North call 0113 2862586 or  
E-mail [sales@fencingmaterials.co.uk](mailto:sales@fencingmaterials.co.uk)
- In the South call 029 2085 5753 or  
E-mail [sales@fencingmaterials.co.uk](mailto:sales@fencingmaterials.co.uk)

We look forward to being of service to you.

Products	Page
Concrete Posts for Chainlink or Welded Mesh	2-5
Concrete Posts for Timber Fencing	6
Concrete Slotted Posts	7
Concrete Posts for Strained Wire Fencing	8
Welded Mesh Rolls	9
Chainlink	10-11
Mesh Panel Systems	12-13
Steel Fence Posts	14
Steel Palisade	15
Mesh Panel Gates	16
Steel Palisade Gates	17
Hinged & Sliding Gates	18
Steel Railings	19
Fittings for Chainlink Fencing & Gates	20
Fittings for Strained Wire Fencing	21
Wire, Barbed Wire & Razor Wire	22
Lintels & Padstones	23
Caststone	24
Contacts	25

Visit our website at [www.fencingmaterials.co.uk](http://www.fencingmaterials.co.uk)

North Tel : 0113 2862586  
E: [sales@fencingmaterials.co.uk](mailto:sales@fencingmaterials.co.uk)

South Tel : 029 2085 5753  
[www.fencingmaterials.co.uk](http://www.fencingmaterials.co.uk)

CONCRETE POSTS

STEEL POSTS

PALISADE

MESH SYSTEMS

CHAINLINK

WELDMESH

FITTINGS

LINTELS

PADSTONES


CASTSTONE

## Concrete posts for chainlink or weldmesh security fencing

Code	Description		KGs
<b>1.8m Chainlink or weldmesh security fencing</b>			
18I	2.61m x 125 x 125/75 x 75mm	Intermediate	62
18STE	2.61m x 125 x 125mm	End	97
18STT	2.61m x 125 x 125mm	Two Way	97
18STC	2.61m x 125 x 125mm	Corner	97
18S	2.55m x 100 x 85mm	Strut	54
<b>2.1m Chainlink or weldmesh security fencing</b>			
21I	2.91m x 125 x 125/75 x 75mm	Intermediate	70
21STE	2.91m x 125 x 125mm	End	110
21STT	2.91m x 125 x 125mm	Two Way	110
21STC	2.91m x 125 x 125mm	Corner	110
21S	2.85m x 100 x 85mm	Strut	59
<b>2.4m Chainlink or weldmesh security fencing</b>			
24I	3.26m x 125 x 125/75 x 75mm	Intermediate	78
24STE	3.26m x 125 x 125mm	End	121
24STT	3.26m x 125 x 125mm	Two Way	121
24STC	3.26m x 125 x 125mm	Corner	121
24S	3.20m x 100 x 85mm	Strut	67

Procters have been manufacturing quality industrial concrete posts for over 50 years, offering a wide range of products for immediate delivery.


Full range of fittings is available to complement all our range of concrete posts on page 20.



Expert suppliers to the fencing industry for over 60 years

## Concrete posts for chainlink or weldmesh security fencing

Code	Description		KGs
<b>1.8m Cranked chainlink or weldmesh security fencing</b>			
18CI	3.07m x 125 x 125/75 x 75mm	Intermediate	73
18CSTE	3.07m x 125 x 125mm	End	114
18CSTT	3.07m x 125 x 125mm	Two Way	114
18CSTC	3.07m x 125 x 125mm	Corner	114
18S	2.55m x 100 x 85mm	Strut	54
<b>1.8m Vertical extended chainlink or weldmesh security fencing</b>			
18VI	2.91m x 125 x 125/75 x 75mm	Intermediate	69
18VSTE	2.91m x 125 x 125mm	End	108
18VSTT	2.91m x 125 x 125mm	Two Way	108
18VSTC	2.91m x 125 x 125mm	Corner	108
18S	2.55m x 100 x 85mm	Strut	54
<b>2.1m Cranked chainlink or weldmesh security fencing</b>			
21CI	3.37m x 125 x 125/75 x 75mm	Intermediate	81
21CSTE	3.37m x 125 x 125mm	End	125
21CSTT	3.37m x 125 x 125mm	Two Way	125
21CSTC	3.37m x 125 x 125mm	Corner	125
21S	2.85m x 100 x 85mm	Strut	59
<b>2.4m Cranked chainlink or weldmesh security fencing</b>			
24CI	3.66m x 125 x 125/75 x 75mm	Intermediate	88
24CSTE	3.66m x 125 x 125mm	End	138
24CSTT	3.66m x 125 x 125mm	Two Way	138
24CSTC	3.66m x 125 x 125mm	Corner	138
24S	3.20m x 100 x 85mm	Strut	67






## Concrete posts for chainlink or weldmesh security fencing

Code	Description		KGs
<b>2.4m Pt10 cranked chainlink or weldmesh security fencing</b>			
24AI	3.85m x 125 x 100mm	Intermediate	113
24ASTE	3.85m x 150 x 150mm	End	205
24ASTT	3.85m x 150 x 150mm	Two Way	205
24ASTC	3.85m x 150 x 150mm	Corner	205
24AS	3.26m x 100 x 100mm	Strut	77
<b>2.4m Pt10 type straight chainlink or weldmesh security fencing</b>			
24SAI	3.85m x 125 x 100mm	Intermediate	113
24SASTE	3.85m x 150 x 150mm	End	205
24SASTT	3.85m x 150 x 150mm	Two Way	205
24SASTC	3.85m x 150 x 150mm	Corner	205
24AS	3.22m x 100 x 100mm	Strut	76

## Other concrete posts

Code	Description	KGs
<b>Concrete posts and rail for sports fields</b>		
1R	1.50m x 150 x 100mm	54
2R	1.66m x 150 x 100mm	59
<b>Repair spurs</b>		
SPUR	0.98m x 75 x 75mm	14



# Concrete posts for timber fencing

Code	Description		KGs
<b>Universal posts holed at 150mm centres</b>			
UP63	1.22m x 100 x 100mm	Universal post	29
UP93	1.52m x 100 x 100mm	Universal post	36
UP120	1.83m x 100 x 100mm	Universal post	43
UP150	2.13m x 100 x 100mm	Universal post	50
UP180	2.43m x 100 x 100mm	Universal post	57
UP210	2.73m x 100 x 100mm	Universal Post	64
<b>Recessed posts (PCR)</b>			
PCR105	1.52m x 140 x 115/100 x 115mm	Recessed post	48
PCR120	1.75m x 140 x 115/100 x 115mm	Recessed post	55
PCR150	2.20m x 140 x 115/100 x 115mm	Recessed post	70
PCR165	2.35m x 140 x 115/100 x 115mm	Recessed post	74
PCR180	2.50m x 140 x 115/100 x 115mm	Recessed post	79
<b>Gravelboards for recessed posts</b>			
GB18	1.8m x 150 x 50mm	Gravelboards	32
GB20	2.0m x 150 x 50mm	Gravelboards	36
GB25	2.5m x 150 x 50mm	Gravelboards	45
GB30	3.0m x 150 x 50mm	Gravelboards	53
<b>Heavy duty posts</b>			
HD100	1.52m x 125 x 100mm	Heavy duty posts	45
HD120	1.83m x 125 x 100mm	Heavy duty posts	54
HD150	2.13m x 125 x 100mm	Heavy duty posts	63
HD180	2.43m x 125 x 100mm	Heavy duty posts	72
HD210	2.73m x 125 x 100mm	Heavy duty posts	81



# Concrete slotted posts

Code	Description		KGs
PROSP4.5I	4'6 (1360mm) 125 x 100mm	Intermediate	29
PROSP4.5E	4'6 (1360mm) 125 x 100mm	End	35
PROSP4.5C	4'6 (1360mm) 125 x 125mm	Corner	47
PROSP4.5T	4'6 (1360mm) 125 x 125mm	Three way	47
PROSP6I	5'9 (1750mm) 125 x 100mm	Intermediate	38
PROSP6E	5'9 (1750mm) 125 x 100mm	End	46
PROSP6C	5'9 (1750mm) 125 x 125mm	Corner	60
PROSP6T	5'9 (1750mm) 125 x 125mm	Three way	60
PROSP7I	6'9 (2060mm) 125 x 100mm	Intermediate	45
PROSP7E	6'9 (2060mm) 125 x 100mm	End	54
PROSP7C	6'9 (2060mm) 125 x 125mm	Corner	70
PROSP7T	6'9 (2060mm) 125 x 125mm	Three way	70
PROSP8I	7'9 (2360mm) 125 x 100mm	Intermediate	52
PROSP8E	7'9 (2360mm) 125 x 100mm	End	61
PROSP8C	7'9 (2360mm) 125 x 125mm	Corner	81
PROSP8T	7'9 (2360mm) 125 x 125mm	Three way	81
PROSP9I	8'9 (2660mm) 125 x 100mm	Intermediate	58
PROSP9E	8'9 (2660mm) 125 x 100mm	End	69
PROSP9C	8'9 (2660mm) 125 x 100mm	Corner	94
PROSP9T	8'9 (2660mm) 125 x 100mm	Three way	94
PROSP10I	10'0 (2970mm) 125 x 100mm	Intermediate	65
PRO12GBSM	1830 x 300mm plain	Gravelboards	51
PRO6GBSM	1830 x 150mm plain	Gravelboards	26
PROGBRC	1830 x 300mm rock faced	Gravelboards	57



Expert suppliers to the fencing industry for over 60 years

## Concrete posts for strained wire fencing

Code	Description		KGs
<b>0.9m high - three line wire</b>			
3LI	1.56m x 100 x 100/75 x 75mm	Intermediate	29
3LSTE	1.56m x 100 x 100mm	End	38
3LSTT	1.56m x 100 x 100mm	Two Way	38
3LSTC	1.56m x 100 x 100mm	Corner	38
3LS	1.50m x 75 x 75mm	Strut	20
<b>1.2m high - six line wire</b>			
6LI	1.88m x 125 x 125/75 x 75mm	Intermediate	43
6LSTE	1.88m x 125 x 125mm	End	70
6LSTT	1.88m x 125 x 125mm	Two Way	70
6LSTC	1.88m x 125 x 125mm	Corner	70
6LS	1.70m x 100 x 90mm	Strut	35
<b>1.4m high - seven / eight line wire</b>			
7LI	2.12m x 125 x 125/75 x 75mm	Intermediate	47
7LSTE	2.12m x 125 x 125mm	End	74
7LSTT	2.12m x 125 x 125mm	Two Way	74
7LSTC	2.12m x 125 x 125mm	Corner	74
7LS	1.97m x 100 x 90mm	Strut	41
<b>1.4m high - nine line wire</b>			
9LI	2.17m x 125 x 125/75 x 75mm	Intermediate	51
9LSTE	2.32m x 125 x 125mm	End	79
9LSTT	2.32m x 125 x 125mm	Two Way	79
9LSTC	2.32m x 125 x 125mm	Corner	79
9LS	2.13m x 100 x 90mm	Strut	45



Full range of strained wire fittings  
on page 21






## Weldmesh rolls

Code	Description		KGs
<b>Galvanised only 25m weldmesh rolls</b>			
GOWM0095025	0.90m 50 x 50 x 2.5mm	Galvanised	42
GOWM0125025	1.20m 50 x 50 x 2.5mm	Galvanised	50
GOWM0155025	1.50m 50 x 50 x 2.5mm	Galvanised	67
GOWM0185025	1.80m 50 x 50 x 2.5mm	Galvanised	75
GOWM0215025	2.10m 50 x 50 x 2.5mm	Galvanised	92
GOWM0245025	2.40m 50 x 50 x 2.5mm	Galvanised	100
GOWM0095030	0.90m 50 x 50 x 3.0mm	Galvanised	60
GOWM0125030	1.20m 50 x 50 x 3.0mm	Galvanised	71
GOWM0155030	1.50m 50 x 50 x 3.0mm	Galvanised	96
GOWM0185030	1.80m 50 x 50 x 3.0mm	Galvanised	107
GOWM0215030	2.10m 50 x 50 x 3.0mm	Galvanised	130
GOWM0245030	2.40m 50 x 50 x 3.0mm	Galvanised	142
GOWM0187525	1.80m 75 x 25 x 3.0mm	Galvanised	135
GOWM0247525	2.40m 75 x 25 x 3.0mm	Galvanised	180
<b>Galvanised &amp; PVC coated green 25m weldmesh rolls</b>			
GCWM0095025	0.90m 50 x 50 x 2.5/3.50mm	Galv & Green	53
GCWM0125025	1.20m 50 x 50 x 2.5/3.50mm	Galv & Green	63
GCWM0155025	1.50m 50 x 50 x 2.5/3.50mm	Galv & Green	84
GCWM0185025	1.80m 50 x 50 x 2.5/3.50mm	Galv & Green	94
GCWM0215025	2.10m 50 x 50 x 2.5/3.50mm	Galv & Green	115
GCWM0245025	2.40m 50 x 50 x 2.5/3.50mm	Galv & Green	125
GCWM0095030	0.90m 50 x 50 x 3.0/3.55mm	Galv & Green	69
GCWM0125030	1.20m 50 x 50 x 3.0/3.55mm	Galv & Green	83
GCWM0155030	1.50m 50 x 50 x 3.0/3.55mm	Galv & Green	110
GCWM0185030	1.80m 50 x 50 x 3.0/3.55mm	Galv & Green	124
GCWM0215030	2.10m 50 x 50 x 3.0/3.55mm	Galv & Green	152
GCWM0245030	2.40m 50 x 50 x 3.0/3.55mm	Galv & Green	164

Expert suppliers to the fencing industry for over 60 years

## Concrete posts for chainlink or weldmesh security fencing

Code	Description		KGs
<b>0.9m Chainlink or weldmesh security fencing</b>			
09I	1.56m x 100 x 100/75 x 75mm	Intermediate	29
3LSTE	1.56m x 100 x 100mm	End	38
3LSTT	1.56m x 100 x 100mm	Two Way	38
3LSTC	1.56m x 100 x 100mm	Corner	38
09S	1.50m x 75 x 75mm	Strut	20
<b>1.2m Chainlink or weldmesh security fencing</b>			
12I	1.85m x 125 x 125/75 x 75mm	Intermediate	44
12STE	1.85m x 125 x 125mm	End	68
12STT	1.85m x 125 x 125mm	Two Way	68
12STC	1.85m x 125 x 125mm	Corner	68
12S	1.59m x 100 x 85mm	Strut	33
<b>1.4m Chainlink or weldmesh security fencing</b>			
14I	2.06m x 125 x 125/75 x 75mm	Intermediate	49
14STE	2.06m x 125 x 125mm	End	76
14STT	2.06m x 125 x 125mm	Two Way	76
14STC	2.06m x 125 x 125mm	Corner	76
14S	1.85m x 100 x 85mm	Strut	39
<b>1.5m Chainlink or weldmesh security fencing</b>			
15I	2.31m x 125 x 125/75 x 75mm	Intermediate	54
15STE	2.31m x 125 x 125mm	End	85
15STT	2.31m x 125 x 125mm	Two Way	85
15STC	2.31m x 125 x 125mm	Corner	85
15S	2.13m x 100 x 85mm	Strut	44



## Chainlink rolls

Code	Description		KGs
<b>Galvanised only 25m chainlink rolls</b>			
GOCL0095025E	0.90m x 50 x 50 x 2.5mm	Galvanised only	42
GOCL0105025E	1.05m x 50 x 50 x 2.5mm	Galvanised only	46
GOCL0125025E	1.20m x 50 x 50 x 2.5mm	Galvanised only	50
GOCL0145025E	1.40m x 50 x 50 x 2.5mm	Galvanised only	59
GOCL0155025E	1.50m x 50 x 50 x 2.5mm	Galvanised only	67
GOCL0185025E	1.80m x 50 x 50 x 2.5mm	Galvanised only	75
GOCL0215025E	2.10m x 50 x 50 x 2.5mm	Galvanised only	92
GOCL0245025E	2.40m x 50 x 50 x 2.5mm	Galvanised only	100
GOCL0275025E	2.75m x 50 x 50 x 2.5mm	Galvanised only	115
GOCL0305025E	3.05m x 50 x 50 x 2.5mm	Galvanised only	125
GOCL0095030E	0.90m x 50 x 50 x 3.0mm	Galvanised only	60
GOCL0105030E	1.05m x 50 x 50 x 3.0mm	Galvanised only	66
GOCL0125030E	1.20m x 50 x 50 x 3.0mm	Galvanised only	71
GOCL0145030E	1.40m x 50 x 50 x 3.0mm	Galvanised only	85
GOCL0155030E	1.50m x 50 x 50 x 3.0mm	Galvanised only	96
GOCL0185030E	1.80m x 50 x 50 x 3.0mm	Galvanised only	107
GOCL0215030E	2.10m x 50 x 50 x 3.0mm	Galvanised only	130
GOCL0245030E	2.40m x 50 x 50 x 3.0mm	Galvanised only	142
GOCL0275030E	2.75m x 50 x 50 x 3.0mm	Galvanised only	164
GOCL0305030E	3.05m x 50 x 50 x 3.0mm	Galvanised only	188
GOCL0095035E	0.90m x 50 x 50 x 3.5mm	Galvanised only	84
GOCL0105035E	1.05m x 50 x 50 x 3.5mm	Galvanised only	92
GOCL0125035E	1.20m x 50 x 50 x 3.5mm	Galvanised only	100
GOCL0145035E	1.40m x 50 x 50 x 3.5mm	Galvanised only	118
GOCL0155035E	1.50m x 50 x 50 x 3.5mm	Galvanised only	130
GOCL0185035E	1.80m x 50 x 50 x 3.5mm	Galvanised only	150
GOCL0215035E	2.10m x 50 x 50 x 3.5mm	Galvanised only	184
GOCL0245035E	2.40m x 50 x 50 x 3.5mm	Galvanised only	200
GOCL0275035E	2.75m x 50 x 50 x 3.5mm	Galvanised only	231
GOCL0305035E	3.05m x 50 x 50 x 3.5mm	Galvanised only	249



## Chainlink rolls

Code	Description		KGs
<b>Galvanised &amp; pvc coated 25m chainlink rolls</b>			
GCCL0095035E	0.90m x 50 x 50 x 2.5/3.55mm	Galv & pvc green	53
GCCL0105035E	1.05m x 50 x 50 x 2.5/3.55mm	Galv & pvc green	58
GCCL0125035E	1.20m x 50 x 50 x 2.5/3.55mm	Galv & pvc green	63
GCCL0145035E	1.40m x 50 x 50 x 2.5/3.55mm	Galv & pvc green	74
GCCL0155035E	1.50m x 50 x 50 x 2.5/3.55mm	Galv & pvc green	84
GCCL0185035E	1.80m x 50 x 50 x 2.5/3.55mm	Galv & pvc green	94
GCCL0215035E	2.10m x 50 x 50 x 2.5/3.55mm	Galv & pvc green	115
GCCL0245035E	2.40m x 50 x 50 x 2.5/3.55mm	Galv & pvc green	125
GCCL0275035E	2.75m x 50 x 50 x 2.5/3.55mm	Galv & pvc green	144
GCCL0305035E	3.05m x 50 x 50 x 2.5/3.55mm	Galv & pvc green	160
GCCL0095040E	0.90m x 50 x 50 x 3.0/4.0mm	Galv & pvc green	69
GCCL0105040E	1.05m x 50 x 50 x 3.0/4.0mm	Galv & pvc green	76
GCCL0125040E	1.20m x 50 x 50 x 3.0/4.0mm	Galv & pvc green	83
GCCL0145040E	1.40m x 50 x 50 x 3.0/4.0mm	Galv & pvc green	97
GCCL0155040E	1.50m x 50 x 50 x 3.0/4.0mm	Galv & pvc green	110
GCCL0185040E	1.80m x 50 x 50 x 3.0/4.0mm	Galv & pvc green	124
GCCL0215040E	2.10m x 50 x 50 x 3.0/4.0mm	Galv & pvc green	151
GCCL0245040E	2.40m x 50 x 50 x 3.0/4.0mm	Galv & pvc green	165
GCCL0275040E	2.75m x 50 x 50 x 3.0/4.0mm	Galv & pvc green	191
GCCL0305040E	3.05m x 50 x 50 x 3.0/4.0mm	Galv & pvc green	206
GCCL0095047E	0.90m x 50 x 50 x 3.55/4.75mm	Galv & pvc green	89
GCCL0105047E	1.05m x 50 x 50 x 3.55/4.75mm	Galv & pvc green	104
GCCL0125047E	1.20m x 50 x 50 x 3.55/4.75mm	Galv & pvc green	120
GCCL0145047E	1.40m x 50 x 50 x 3.55/4.75mm	Galv & pvc green	138
GCCL0155047E	1.50m x 50 x 50 x 3.55/4.75mm	Galv & pvc green	148
GCCL0185047E	1.80m x 50 x 50 x 3.55/4.75mm	Galv & pvc green	179
GCCL0215047E	2.10m x 50 x 50 x 3.55/4.75mm	Galv & pvc green	208
GCCL0245047E	2.40m x 50 x 50 x 3.55/4.75mm	Galv & pvc green	237
GCCL0275047E	2.75m x 50 x 50 x 3.55/4.75mm	Galv & pvc green	272
GCCL0305047E	3.05m x 50 x 50 x 3.55/4.75mm	Galv & pvc green	301

# Mesh panel fencing systems



## Code

## Description

### Promesh Mesh Panel Fencing System

PFM2	2m high <b>Promesh Mesh Panel Fencing System</b> 200 x 50 x 5mm galvanised & polyester coated green, 60 x 60mm box section post
PFM24	2.4m high <b>Promesh Mesh Panel Fencing System</b> 200 x 50 x 5mm galvanised & polyester coated green, 60 x 60mm box section post
PFMPOST2	60 x 60mm profiled post for 2m fencing
PFMPOST24	60 x 60mm profiled post for 2.4m fencing
PFMPANEL2	2.0 x 3.0m <b>Promesh</b> panel
PFMPANEL24	2.4 x 3.0m <b>Promesh</b> panel
PFMCLIP	clips and bolts

### Provario Mesh Panel Fencing System

PVM2	2m high <b>Provario Mesh Panel Fencing System</b> 200 x 50 x 5mm galvanised & polyester coated green, with 5 bands of wire spaced at 5mm intervals, 60 x 60mm profiled post
PVM24	2.4m high <b>Provario Mesh Panel Fencing System</b> 200 x 50 x 5mm galvanised & polyester coated green, with 5 bands of wire spaced at 5mm intervals, 60 x 60mm profiled post
PFMPOST2	60 x 60mm box section post for 2m fencing
PFMPOST24	60 x 60mm box section post for 2.4m fencing
PVMPANEL2	2.0 x 3.0m <b>Provario</b> panel
PVMPANEL24	2.4 x 3.0m <b>Provario</b> panel
PFMCLIP	clips and bolts

Procter reserve the right to alter the specification of these systems from time to time

# Mesh panel fencing systems

Code	Description
<b>Prosure Mesh Panel Fencing System</b>	
PSM24	2.4m high 358 <b>Promesh Mesh Panel Fencing System</b> 76.2 x 12.7 x 4mm galvanised & polyester coated green, 60 x 80mm box section post
PFMPOST24	66 x 60mm box section post for 2.4m fencing
PSMPANEL PSMCLIP	2.4 x 2.5m <b>Prosure</b> panel Stretcher bar & bolts



<b>Protwin Mesh Panel Fencing System</b>	
PFT2	2m high <b>Protwin Mesh Panel Fencing System</b> 200 x 50 x 5mm galvanised & polyester coated green, 60 x 60mm box section post
PFT24	2.4m high <b>Protwin Mesh Panel Fencing System</b> 200 x 50 x 5mm galvanised & polyester coated green, 60 x 60mm box section post
PFMPOST2	60 x 60mm box section post for 2m fencing
PFMPOST24	60 x 60mm box section post for 2.4m fencing
PFTPANEL2	2.0 x 2.5m <b>Protwin</b> panel
PFTPANEL24	2.4 x 2.5m <b>Protwin</b> panel
PFMCLIP	clips and bolts



Procter reserve the right to alter the specification of these systems from time to time



Expert suppliers to the fencing industry for over 60 years

## Steel fenceposts for chainlink & weldmesh

Code	Description		KGs
------	-------------	--	-----

### Galvanised straights steel fencepost for 1.8m

BSPSI18	2.43m x 40 x 40 x 2.5mm shs	Intermediate	8
BSPSE18	2.43m x 50 x 50 x 3.0mm shs	End	22
BSPST/C18	2.43m x 50 x 50 x 3.0mm shs	Two Way/corner	32

### Galvanised straights steel fencepost for 2.4m

BSPSI24	3.03m x 40 x 40 x 3.0mm shs	Intermediate	10
BSPSE24	3.03m x 50 x 50 x 3.0mm shs	End	27
BSPST/C24	3.03m x 50 x 50 x 3.0mm shs	Two way/corner	40

### Galvanised cranked top steel fencepost for 1.8m

BSPCI18	2.93m x 50 x 50 x 3.0mm shs	Intermediate	11
BSPCE18	2.93m x 50 x 50 x 3.0mm shs	End	25
BSPCT/C18	2.93m x 50 x 50 x 3.0mm shs	Two way/corner	35

### Galvanised cranked top steel fencepost for 2.4m

BSPCI24	3.35m x 50 x 50 x 3.0mm shs	Intermediate	13
BSPCE24	3.35m x 60 x 60 x 3.0mm shs	End	30
BSPCT/C24	3.35m x 60 x 60 x 3.0mm shs	Two way/corner	43

### Galvanised & ppc green straights steel fencepost for 1.8m

BSPSI18G	2.43m x 40 x 40 x 2.5mm shs	Intermediate	8
BSPSE18G	2.43m x 50 x 50 x 3.0mm shs	End	22
BSPST/C18G	2.43m x 50 x 50 x 3.0mm shs	Two way/corner	32

### Galvanised & ppc green straights steel fencepost for 2.4m

BSPSI24G	3.03m x 40 x 40 x 3.0mm shs	Intermediate	10
BSPSE24G	3.03m x 50 x 50 x 3.0mm shs	End	27
BSPST/C24G	3.03m x 50 x 50 x 3.0mm shs	Two way/corner	40

### Galvanised & ppc green cranked top steel fencepost for 1.8m

BSPCI18G	2.93m x 50 x 50 x 3.0mm shs	Intermediate	11
BSPCE18G	2.93m x 50 x 50 x 3.0mm shs	End	25
BSPCT/C18G	2.93m x 50 x 50 x 3.0mm shs	Two way/corner	35

### Galvanised & ppc green cranked top steel fencepost for 2.4m

BSPCI24G	3.35m x 50 x 50 x 3.0mm shs	Intermediate	13
BSPCE24G	3.35m x 60 x 60 x 3.0mm shs	End	30
BSPCT/C24G	3.35m x 60 x 60 x 3.0mm shs	Two way/corner	43

In the North Tel : 0113 2862586 Fax : 0113 2867376

E-mail : sales@fencingmaterials.co.uk

# Galvanised palisade fencing

Code	Description	KGs
<b>Galvanised palisade fencing</b>		
PAL18W	1.8m high 2mm W section triple point	32
PAL20W	2.0m high 2mm W section triple point	34
PAL24W	2.4m high 2mm W section triple point	41
<hr/>		
PAL18D	1.8m high 3mm D section triple point	33
PAL20D	2.0m high 3mm D section triple point	36
PAL24D	2.4m high 3mm D section triple point	42
<hr/>		
<b>Galvanised &amp; polyester powder coated green palisade fencing</b>		
PAL18WG	1.8m high 2mm W section triple point	32
PAL20WG	2.0m high 2mm W section triple point	34
PAL24WG	2.4m high 2mm W section triple point	41
<hr/>		
PAL18DG	1.8m high 2mm D section triple point	33
PAL20DG	2.0m high 2mm D section triple point	36
PAL24DG	2.4m high 2mm D section triple point	42
<hr/>		
<b>Palisade fencing extras</b>		
PALPOST18	1.8m post 2.32m x 102 x 44mm	20
PALPOST20	2.0m post 2.59m x 102 x 44mm	22
PALPOST24	2.4m post 3.15m x 102 x 44mm	28
PALPALEW18	1.75m W section pale	27
PALPALEW20	1.95m W section pale	28
PALPALEW24	2.35m W section pale	29
PALPALED18	1.75m D section pale	28
PALPALED20	1.95m D section pale	29
PALPALED24	2.35m D section pale	30
PALRAIL40	2.75m x 40 x 40mm rail	10
PALRAIL45	2.75m x 45 x 45mm rail	10
PALNUT/BOLT8	m8 shear nut & bolt	
PALNUT/BOLT12	m12 shear nut & bolt	
FISHPLATES	straight fishplate	
FISHPLATEC	corner fishplate	

# Mesh panel entrance gates

Code	Description		KGs
------	-------------	--	-----

## Single mesh panel entrance gates 2m high

MESHGATE2010	2.0m x 1.0m Single leaf gate	Galv & green	105
MESHGATE2012	2.0m x 1.2m Single leaf gate	Galv & green	112

## Single mesh panel entrance gates 2.4m high

MESHGATE2410	2.4m x 1.0m Single leaf gate	Galv & green	120
MESHGATE2412	2.4m x 1.2m Single leaf gate	Galv & green	129

## Double mesh panel entrance gates 2m high

MESHGATE2030	2.0m x 3.0m double leaf gate	Galv & green	390
MESHGATE2040	2.0m x 4.0m double leaf gate	Galv & green	460
MESHGATE2050	2.0m x 5.0m double leaf gate	Galv & green	533
MESHGATE2060	2.0m x 6.0m double leaf gate	Galv & green	605
MESHGATE2070	2.0m x 7.0m double leaf gate	Galv & green	688
MESHGATE2080	2.0m x 8.0m double leaf gate	Galv & green	728

## Double mesh panel entrance gates 2.4m high

MESHGATE2430	2.4m x 3.0m double leaf gate	Galv & green	445
MESHGATE2440	2.4m x 4.0m double leaf gate	Galv & green	528
MESHGATE2450	2.4m x 5.0m double leaf gate	Galv & green	608
MESHGATE2460	2.4m x 6.0m double leaf gate	Galv & green	689
MESHGATE2470	2.4m x 7.0m double leaf gate	Galv & green	728
MESHGATE2480	2.4m x 8.0m double leaf gate	Galv & green	798



We can manufacture a wide range of bespoke gates

please give our sales staff a call for more information



In the North Tel : 0113 2862586 Fax : 0113 2867376

E-mail : sales@fencingmaterials.co.uk



## Palisade entrance gates

Code	Description		KGs
<b>Single palisade entrance gates 1.8m high</b>			
PALGATE1810	1.8m x 1.0m Single leaf gate	Galvanised	97
PALGATE1812	1.8m x 1.2m Single leaf gate	Galvanised	103
<b>Single palisade entrance gates 2.0m high</b>			
PALGATE2010	2.0m x 1.0m Single leaf gate	Galvanised	104
PALGATE2012	2.0m x 1.2m Single leaf gate	Galvanised	111
<b>Single palisade entrance gates 2.4m high</b>			
PALGATE2410	2.4m x 1.0m Single leaf gate	Galvanised	119
PALGATE2412	2.4m x 1.2m Single leaf gate	Galvanised	127
<b>Double leaf palisade entrance gates 1.8m high</b>			
PALGATE1830	1.8m x 3.0m Double leaf gate	Galvanised	360
PALGATE1840	1.8m x 4.0m Double leaf gate	Galvanised	426
PALGATE1850	1.8m x 5.0m Double leaf gate	Galvanised	492
PALGATE1860	1.8m x 6.0m Double leaf gate	Galvanised	558
<b>Double leaf palisade entrance gates 2.0m high</b>			
PALGATE2030	2.0m x 3.0m Double leaf gate	Galvanised	388
PALGATE2040	2.0m x 4.0m Double leaf gate	Galvanised	459
PALGATE2050	2.0m x 5.0m Double leaf gate	Galvanised	530
PALGATE2060	2.0m x 6.0m Double leaf gate	Galvanised	600
<b>Double leaf palisade entrance gates 2.4m high</b>			
PALGATE2430	2.4m x 3.0m Double leaf gate	Galvanised	444
PALGATE2440	2.4m x 4.0m Double leaf gate	Galvanised	525
PALGATE2450	2.4m x 5.0m Double leaf gate	Galvanised	605
PALGATE2460	2.4m x 6.0m Double leaf gate	Galvanised	686



Expert suppliers to the fencing industry for over 60 years

## Hinged entrance gates

Procter gates are produced in a wide range of sizes and finishes to match all the different fencing styles, with height and width normally designed to match adjacent fencing.

Hinged entrance gates can be manufactured in widths up to 10m - for larger gates see our sliding gates below.



## Sliding entrance gates

Tracked sliding entrance gates are available with each gate leaf up to 10m as standard. Cantilevered sliding entrance gates are available with each leaf up to 8m as standard. Procters can offer a complete service for sliding entrance gates including site survey, design, manufacture and crane offload onto prepared foundations. power operation and a range of access control options are available. Please call us for full details.



In the North Tel : 0113 2862586 Fax : 0113 2867376

E-mail : [sales@fencingmaterials.co.uk](mailto:sales@fencingmaterials.co.uk)

## Rapid Set Post Concrete

Procter fast set is a rapid setting concrete for securing metal, wood and concrete posts.

Ready to use. No mixing is required. Sets in 5 to 10 minutes. Finished job within hours.

Available from stock in 20kg shower proof sacks.



## Railings

Railings are ideal for sites where high visual appeal, long life and low maintenance are high priorities.

A wide choice of designs and specifications of railing is available.

### Specifications

#### Bars.

Bars are available in 12mm, 16mm, 20mm, & 22mm in bowtop railing.

#### Rails.

Rails are available in 40 x 10mm & 50 x 10mm.

#### Posts.

Posts are available in a choice of square hollow sections.

#### Finishes.

Finishes are available in self colour, galvanised & galvanised and PPC to any RAL colour.

#### Heights.

All railing are available in heights of 600, 900, 1000, 1200, 1400, 1800, 2000, 2100 & 2400mm  
Special heights are available on request.





# Fittings for chainlink fencing and gates

**Code**
**Description**
**Stretcher bars**

FIT900SB	900mm x 20 x 5mm stretcher bar	Galvanised
FIT1200SB	1200mm x 20 x 5mm stretcher bar	Galvanised
FIT1400SB	1400mm x 20 x 5mm stretcher bar	Galvanised
FIT1500SB	1500mm x 20 x 5mm stretcher bar	Galvanised
FIT1800SB	1800mm x 20 x 5mm stretcher bar	Galvanised
FIT2100SB	2100mm x 20 x 5mm stretcher bar	Galvanised
FIT2400SB	2400mm x 20 x 5mm stretcher bar	Galvanised

**Fittings**

CLEAT2.5	65 x 40mm angle cleat	Galvanised
CLEATPT10	50 x 50mm angle cleat	Galvanised
EYEBOLT10	250 x 10mm eyebolt	Galvanised
EYEBOLT12	300 x 10mm eyebolt	Galvanised
LOOPNUT	Loop nut	Galvanised
WINDINGL	Ferrule winder	Galvanised
WINDINGB	Bolt locking winder	Galvanised
GRIPM	Medium Gripples	
BARBDROPS	210mm barbed wire spacer	Galvanised
BARBDROPM	360mm barbed wire spacer	Galvanised
BARBDROPL	460mm barbed wire spacer	Galvanised
WELDON19	19mm weld on gate hooks	Self colour
WELDON25	25mm weld on gate hooks	Self colour
WELDON32	32mm weld on gate hooks	Self colour
GATEEYE20	150 x 20mm adjustable gate eye	Galvanised
GATEEYE25	200 x 25mm adjustable gate eye	Galvanised
GATEEYE32	200 x 32mm adjustable gate eye	Galvanised
BARBBRAC	Barbed wire bracket	Galvanised



## Fittings for strained wire fencing

Code	Description	Qty
<b>Fence fittings required for 7 line wire @ 7m centres</b>		
COR	Small dropper bars 22"	3
COR	Large dropper bars 30"	2
COR	Dropper bar clips	20
COR	Hairpin staples	7
315HT	3.15mm high tensile wire 390m coils	
<b>Straining end post</b>		
COR	165mm ratchet tubes	6
COR	381mm ratchet tubes	1
COR	Ratchet winder	7
COR	Small angle cleat	1
<b>Non straining end post</b>		
COR	381mm ratchet tubes	1
COR	Anchor pins	7
COR	Square washer	7
<b>Straining two way post</b>		
COR	165mm ratchet tubes	6
COR	635mm ratchet tubes	1
COR	Ratchet winders	7
COR	Small angle cleat	1
COR	Large angle cleat	1
<b>Straining corner post</b>		
COR	165mm ratchet tubes	6
COR	381mm ratchet tubes	1
COR	Ratchet winders	7
COR	Small angle cleat	1
COR	Large angle cleat	7



## Fencing wire

Code	Description	
<b>Galvanised line wire</b>		
3.0mm	5kg, 10kg & 25kg coils	Galvanised
3.55mm	5kg, 10kg & 25kg coils	Galvanised
4.00mm	5kg, 10kg & 25kg coils	Galvanised
<b>Galvanised &amp; pvc coated line wire</b>		
3.0mm	5kg, 10kg & 25kg coils	Galvanised & ppc
3.55mm	5kg, 10kg & 25kg coils	Galvanised & ppc
4.00mm	5kg, 10kg & 25kg coils	Galvanised & ppc
<b>Tying wire</b>		
1.60mm	1kg coils	Galvanised
1.60/2.00mm	1kg coils	Galvanised & ppc

## Barbed wire & razor wire

Code	Description	
<b>Barbed wire</b>		
BW200	Mild steel	Galvanised
<b>Razor tape</b>		
450CON	Concertina mild steel 450mm dia x 8m	Galvanised
CONFLAT	Flat wrap mild steel clipped 500mm x 15m	Galvanised
CONTAPE	Tape mild steel 50m	Galvanised





## Concrete lintels & padstones

### Prestressed concrete lintels

Procters offer a range of prestressed concrete lintels.

Available in sections of 100 x 70mm, 100 x 150mm, 100 x 215mm, 140 x 150mm, 140 x 215mm, 150 x 70mm and in lengths up to 3.6m long

All design comply with BS8110:part 1&2: 1985, BS5977 part2.

Load bearing charts available on request.

### Precast concrete lintels

Procters offer a range of precast concrete lintels

Available in sections of 100 x 140mm (up to 2730mm), 100 x 215mm (up to 3050mm), 140 x 140mm (up to 2730mm)

Designs have been prepared and engineered in accordance with BS8110 and BS5977 parts 1 & 2.

Load bearing charts available on request.

### Padstones

Manufactured to over 40n/mm<sup>2</sup> compressive strength, used for the majority of applications where a high strength bearing pad is required.

Procter manufactures a large range of padstones to suit standard and non standard applications.

Call our sales office for further information.



Expert suppliers to the fencing industry for over 60 years

## Caststone architectural products

### 1. Technical Consultation

Procter's technical staff provide free consultation to specifiers to assist in the selection and design of cast stone features. Early involvement of our staff in project planning ensures the successful incorporation of cast stone features to suit customers aesthetic, performance and budget parameters, as well as scheduling deliveries to suit site programme requirements.

### 2. Custom Design Service

Procter specialize in the manufacture of individually designed cast stone features to meet customers particular project requirements. In addition we offer a comprehensive range of standard caststone products.

### 3. Detailed Quotation

Fully detailed, quotations are provided from architects designs or bills of quantity. Budget prices can also be provided.

### 4. Colour Range

A range of standard colours are available to match most natural stone shades. These include Yorkshire; Light Yorkshire; Dark and Light Portland; Aire, Red Sandstone and Natural. We also make products in non-standard colours, to match existing materials. Free colour sample packs are available on request.

### 5. Weathering

Like natural stone, cast stone products will weather over time. Factors influencing this include climate, location and architectural detailing. There is the possibility of efflorescence, which may cause temporary lightening of colour.

### 6. Production

The manufacture of cast stone products is carried out in our factory at Garforth in West Yorkshire under closely controlled conditions to ensure consistent high quality standards of production and curing.

### 7. Packing and Delivery

All Procter cast stone products are subject to final inspection checks, carefully packed shrink wrapped on pallets with suitable protective materials and delivered to site by our own vehicles to ensure they arrive in good condition.

### 8. Installation

Each consignment of cast stone products is supplied complete with handling instructions, to minimize the risk of damage by site personnel. For larger units lifting eyes can be installed, dependent on customer requirements to facilitate safe lifting. Other fixings can be cast in where required.



Telephone  
Cast stone  
direct:  
0113 2863329

In the North Tel : 0113 2862586 Fax : 0113 2867376

E-mail : [sales@fencingmaterials.co.uk](mailto:sales@fencingmaterials.co.uk)



**Expert suppliers to the fencing industry for over 60 years**



Procter Brothers Ltd  
Pantglas Ind. Est., Bedwas,  
Caerphilly CF83 8XD

T: 02920 855753

F: 02920 885026

E: sales@fencingmaterials.co.uk

[www.fencingmaterials.co.uk](http://www.fencingmaterials.co.uk)

Procter Brothers Ltd  
Ash Lane, Aberforth Road,  
Garforth, Leeds LS25 2HQ

T: 0113 2862586

F: 0113 2867376

E: sales@fencingmaterials.co.uk

[www.fencingmaterials.co.uk](http://www.fencingmaterials.co.uk)



**Lintels**



**Weldmesh**

**Chainlink**



**Caststone**

**Padstones**